

Concrete Processor (GCP)

FEATURES

- 1 Power is derived from a large-bore cylinder, eliminating the need for an intensifier
- 2 Large-bore cylinder is protected by a heavy-duty shroud
- 3 One-piece bolt-on tooth bed is quick and easy to replace, eliminating the need for build-up and hardsurfacing
- 4 Large jaw opening readily pulverizes thick concrete
- 5 Bolt-on rebar cutting blades are four-way indexable
- 6 One-piece lower wear pad fully protects stationary jaw from eroding parent material, eliminating the need for build-up and hardsurfacing
- 7 Bolt-on replaceable jaw with relief allows concrete to pass through
- 8 Fully-boxed frame construction provides unparalleled strength and extends tool life
- 9 Weld-in blade pockets are easy to replace and reduce maintenance
- 10 Heavy-duty pivot design with recessed end caps provides structural strength and long-term durability
- 11 Proprietary regeneration valve improves cycle time by up to 33% compared to standard hydraulic systems
- 12 Built with Wieldox steel for the best combination of structural strength and wear durability

APPLICATIONS

- Concrete Recycling
- Demolition



Metric Specs:

Model Number	Weight (kg)	Jaw Opening (mm)	Jaw Depth (mm)	Jaw Width (mm)	Tip Force (kN)	Total Length (mm)	Minimum Excavator Wt. Stick Mounted (mt)
GCP 410	2,109	864	737	508	667	2,057	20
GCP 410R	3,016	864	737	508	667	2,362	24
GCP 610	3,606	1,143	991	610	1,174	2,642	29
GCP 610R	4,513	1,143	991	610	1,174	2,946	38

All Genesis "R" model Concrete Processors feature continuous 360° rotation.

Genesis Concrete Processors are covered by a 12-month, 1,500-hour (whichever occurs first) warranty.

Genesis reserves the right to continually make product improvements designed to positively enhance performance.